

# Microwave and Optical Technology Letters

## Author Index to Volume 4

- Aanandan, C. K.** See Dey, S., 417
- Aboudou, A.** See Aboulhoda, S., 217
- Aboulhoda, S.**
- ; Vilcot, J. P.; Razeghi, M.; Decoster, D.; Francois, M.; Maricot, S.; Aboudou, A.: III-V Monolithic Resonant Photoreceiver Using Local Epitaxy and Large Lattice Mismatch Material, 217
- Abuelma'atti, M. T.**
- Prediction of the Harmonic and Intermodulation Distortion in Semiconductor Laser Diodes, 148
- Adhami, R. R.**
- ; Lantaigne, D. J.; Gregory, D. A.: Photopolymer Hologram Formation Theory, 106
- Ahmed, J. U.**
- ; Awwal, A. A. S.: Polarization-Encoded Optical Shadow Casting: An Efficient Multiplier Design, 328
- Aksun, M. I.** See Yang, R., 335
- ; Chuang, S. L.; Lo, Y. T.: Coplanar Waveguide-fed Microstrip Antennas, 292
- Alam, M. S.**
- ; Awwal, A. A. S.; Karim, M. A.: Improved Correlation Discrimination Using Joint Fourier-Transform Optical Correlator, 103
- Amairi, A.** See Bonte, B., 289
- Angelov, I.**
- ; Zirath, H.: On the Performance of Different Types of MESFET-Mixers, 517
- Awwal, A. A. S.**
- ; Klemer, D. R.; Birt, T. A.; Vallapareddy, M. R.; Kurek, C. G.; Kauffman, H. G.; Turumella, S. R. V.; Flahive, S. P.: Laser-Beam Diameter Measurement Using Periodic Logarithmic Grating, 395
  - See Alam, M. S., 103
  - See Ahmed, J. U., 328
- Bahl, I. J.** See Willem, D., 177
- See Sathir, V. K., 219
- Banerjee, P. P.**
- ; Misra, R. M.: Propagation of Profiled Optical Beams through Kerr Media, 471
- Barkeshli, S.**
- ; Pathak, P. H.: Reciprocal Properties of the Dyadic Green's Function for Planar Multilayered Dielectric/Magnetic Media, 333
- Beker, B.**
- ; Ho, T. Q.: Radiation Loss Due to Step Discontinuities in Symmetric Biaxially Anisotropic Slab Waveguides, 403
  - See Ho, T. Q., 298
- Bera, J.** See Dubois, L., 141
- Betti, S.**
- ; De Marchis, G.; Iannone, E.; Lazzaro, P.: ASPSK with Postdetection Filtering: An Accurate Analysis, 145
  - ; De Marchis, G.; Iannone, E.; Pietroselli, M.: New Receiver Scheme for Homodyne and Intradyne Satellite Optical Links, 234
  - ; De Marchis, G.; Iannone, E.; Lazzaro, P.: Homodyne Detection of Polarization Modulated Optical Signals, 326
- Beyer, J. B.**
- ; Nordman, J. E.; Hohenwarter, G. K. G.; Martens, J. S.: A Superconductive Dual-Control Active Microwave Device, 506
  - See Nguyen, T., 451
- Bhartia, P.**
- ; Rao, K. V. S.: On the Bandwidth and Input Impedance of Series-Fed Microstrip Arrays, 559
- Bhattacharjee, A. K.** See Deb, D., 222
- Bhattacharyya, A. K.**
- Identification of a Target in Presence of Ground Clutter Using Polarization, 179
  - ; Mutual Impedance between Two Parallel Thin Linear Antennas in Chiral Medium, 172
  - ; Polarimetric Scattering Characteristics of Simple Radar Targets Using Hertz's Vector Potentials, 317
- Bian, J.-R.**
- ; Chan, A. K.: Computation of the Diffraction Effect and the Nonlinear Effect on Spatial Solutions in Nonlinear Planar Waveguides, 184
  - ; Chan, A. K.: A Nonlinear All-Optical Switch Using Spatial Soliton Interactions, 575
- Birt, T. A.** See Awwal, A. A. S., 395
- Bishop, W. L.**
- ; Crowe, T. W.; Mattauach, R. J.; Ost diek, P. H.: Planar Schottky Barrier Mixer Diodes for Space Applications at Submillimeter Wavelengths, 44
- Bonte, B.**
- ; Amairi, A.; Crosnier, Y.; Salmer, G.: AlGaAs/GaAs Power MISFET with 0.5 W/mm at 30GHz, 289
- Boonzaaier, J. J.**
- ; Pistorius, C. W. I.: Thin-Wire Yagi Antenna Radiation Patterns Using the Finite-Difference Time-Domain Method, 311
  - ; Pistorius, C. W. I.: Field Approximations at Thin-Wire Junctions for the Finite-Difference Time-Domain Method, 551
- Booske, J. H.**
- ; Meng, B.: Design of Ergodic Electromagnetic Cavities, 446
- Booske, J. H.** See Joe, J., 443
- Boothroyd, S. A.**
- ; Chrostowski, J.; Lian, H.-X.; Rawicz, A.; Deen, J.: Second Harmonic Modulation in Potassium Niobate, 521
- Booyesen, A. J.**
- ; Pistorius, C. W. I.; Malherbe, J. A. G.: Reduction of the RCS of the Leading Edge of a Conducting Wing-Shaped Structure by Means of Lossless Dielectric Material, 277
- Bosisio, R. G.** See Ongareau, E., 86

- Brandao Faria, J. A.**  
Normal-Mode Synthesis of *N*-Coupled Coplanar Stripline Structures, 131  
—; A Transmission Phase Grating Analysis, 224  
—; Optimal Focusing of Gaussian Beams, 304  
—; A Polarimetric Optical Microrotation Sensor Employing a Birefringent Uniaxial Crystal, 350
- Brown, E. R.**  
—; Parker, C. D.; Calawa, A. R.; Manfra, M. J.; Chen, C. L.; Mahoney, L. J.; Goodhue, W. D.; Soderstrom, J. R.; McGill, T. C.: High-Frequency Resonant-Tunneling Oscillators, 19
- Burch, J. F.** See Jackson, C. M., 250
- Butler, C. M.**  
Vector Potential Green's Function for a Radially Directed Line Dipole in Open Space, 430
- Calawa, A. R.** See Brown, E. R., 19
- Capmany, J.** See Fraile-Pelaez, F. J., 589
- Carlson, D.** See Mondal, J., 285
- Chakrabarty, D.**  
—; Mukherjee, M. K.; Mukhopadhyay, D.: Hot Electron Microwave Incremental Conductivity Characteristics of Cadmium Telluride, 244
- Chan, A. K.** See Bian, J.-R., 184, 575
- Chan, C. H.**  
—; Lou, S. H.; Tsang, L.; Kong, J. A.: Electromagnetic Scattering of Waves by Random Rough Surface: A Finite-Difference Time-Domain Approach, 355  
See Krause, K. C., 255  
See Tsang, L., 527
- Chan, V. S.** See Lin-Liu, Y. R., 468
- Chang, J.-J.**  
—; Wang, W.-S.: A Novel Approximation Method for Asymmetrical Coplanar Lines, 398
- Chang, K.** See Miller, R. E., 72
- Chang, S. F.** See Joe, J., 443
- Chao, F.-L.**  
—; Wang, W.-S.: Simulation of the Induced Voltage on the Electrodes of a Mach-Zehnder Interferometer, 584
- Chen, C. L.** See Brown, E. R., 19
- Cheng, D.**  
—; Xue, L.: Microstrip Resonator on Anisotropic Substrate in a Shielding Waveguide, 231  
—; Xue, L.; Xu, R.: Radiation of Elementary Time-Harmonic Current in Chiral Half-Space, 391
- Cheng, K. K. M.**  
—; Everard, J. K. A.: Noise Performance Degradation in Feedback Oscillators with Nonzero Phase Error, 64
- Chew, W. C.** See Wang, Y. M., 155
- Chive, M.** See Dubois, L., 141
- Chowdhury, S. K.** See Roy, J. S., 236  
See Paul, P., 77
- Christodoulou, C.** See Nguyen, C., 307
- Chrostowski, J.** See Boothroyd, S. A., 521
- Chuang, S. L.** See Aksun, M. I., 292  
See Yang, R., 335
- Conn, D. R.** See Krishnamurthi, K., 212
- Crosnier, Y.** See Bonte, B., 289
- Croston, I. R.** See Morasca, S., 139
- Crowe, T. W.**  
—; Peatman, W. C. B.; Winkler, E.: GaAs Schottky Barrier Varactor Diodes for Submillimeter Wavelength Power Generation, 49  
See Bishop, W. L., 44
- Cruz, J. L.** See Gimeno, B., 113
- Cvetkovic, S. R.** See Zhao, A. P., 247
- Das, S.** See Deb, D., 222
- Deb, D.**  
—; Gupta, A.; Das, S.; Palit, D.; Bhattacharjee, A. K.: Empirical Expressions for the Input Impedance of Rectangular Microstrip Antennas, 222
- De Bernardi, C.** See Morasca, S., 139
- de Castro Lima, A. C.**  
—; Giarola, A. J.: Rectangular Microstrip Antenna Along a Helical Direction on a Cylindrical Substrate, 369
- Decoster, D.** See Aboulhoda, S., 217  
See Maricot, S., 591
- Deen, J.** See Boothroyd, S. A., 521
- de Graauw, Th.** See Skalare, A., 9
- DeGrassie, J. S.**, 468
- De Marchis, G.**  
—; Iannone, E.: Polarization Dispersion in Single-Mode Optical Fibers: A Simpler Formulation Based On Pulse Envelope Propagation, 75  
—; Iannone, E.; Matera, F.: Mixing Efficiency in a Coherent Optical Receiver, 97  
See Betti, S., 145, 234, 326
- Dey, S.**  
—; Aanandan, C. K.; Jose, K. A.; Monahan, P.; Nair, K. G.: Wide-Band Printed Dipole Antenna, 417
- Dou, W. B.**  
A Comparison of the Boundary-Integral Method without Using Green's Function and the Field Matching Method, 83  
—; Rong, Y.: Analysis of Unsymmetrical Waveguide Y-Junction Circulators, 134
- Drake, E.**  
—; Medina, F.; Horno, M.: Quasi-TEM Analysis of the Generalized Microstrip Line by Using FFT and Iterative Methods, 269
- Drake, R. E.** See Hohenwarter, G. K. G., 510
- Dubois, L.**  
—; Bera, J.; Pribetich, J.; Chive, M.: Theoretical and Experimental Determination of the Power Deposition of a Microstrip-Microslot Applicator for Biomedical Applications, 141
- Dunn, D. S.** See Wahid, P. F., 258
- Dunn, G. L.** See Wahid, P. F., 258
- East, J. R.** See Haddad, G. I., 23  
See Lee, T. H., 53

- El-Ghazaly, S. M.**  
—; Itoh, T.; Hammond, R. B.: Design Considerations for High- $T_c$  Superconductor Microstrip Lines Based on Current Distributions, 302
- Everard, J. K. A.** See Cheng, K. K. M., 64
- Fares, D. A.**  
Concatenated Coding for Multipulse Signaling in Noisy Optical Channels, 359
- Flahive, S. P.** See Awwal, A. A. S., 395
- Fraile-Pelaez, F. J.**  
—; Capmany, J.: Effect of Pulse Propagation on the Modal Field Profiles of Dielectric and Metallic Waveguides, 589
- Fralich, R.** See Wang, J., 61  
See Wu, C., 110
- Francois, M.** See Aboulhoda, S., 217
- Fukai, I.** See Kashiwa, T., 81
- Fusco, V. F.** See Riddels, G., 191
- Garcia, A. C.** See Gimeno, B., 113
- Gearhart, S. S.**  
—; Ling, C. C.; Rebeiz, G. M.: Integrated 222-GHz Corner-Reflector Antennas, 12
- Geddes, J.** See Mondal, J., 285
- Gentili, G. B.**  
—; Manara, G.; Pelosi, G.; Tiberio, R.: Radiation of Open-Ended Waveguides into Stratified Media, 401
- Ghafouri-Shiraz, H.**  
—; McLoughlin, I. V.: The Implementation of a High Accuracy Optical Measurement Technique of Particular Interest to Miniature Optics, 524
- Giakos, G. C.**  
—; Ishii, T. K.: Anomalous Microwave Propagation in Open Space, 79  
—; Energy Propagation with Phase Velocity in a Waveguide, 128
- Giarola, A. J.** See de Castro Lima, A. C., 369
- Gimeno, B.**  
—; Such, V.; Garcia, A. C.; Cruz, J. L.; Navarro, E.: Transmission-Line Model to Analyze a Multistage Polarizer Rotator, 113
- Goodhue, W. D.** See Brown, E. R., 19
- Gregory, D. A.** See Adhami, R. R., 106  
See Li, J. X., 207
- Griffis, A.** See Ishii, T. K., 387
- Grongvist, H.**  
—; Kollberg, E.; Rydberg, A.: Quantum-Well and Quantum-Barrier Diodes for Generating Submillimeter Wave Power, 33
- Guo, Y.**  
—; Lee, K.; Stimson, P.; Potter, K.; Rutledge, D.: Aperture Efficiency of Integrated-Circuit Horn Antennas, 6
- Gupta, A.** See Deb, D., 222
- Gupta, S.** See Sarkar, B. K., 389
- Haddad, G. I.**  
—; East, J. R.; Kidner, C.: Tunnel Transit-Time (TUNNETT) Devices for Terahertz Sources, 23  
See Ulaby, F., 1  
See Lee, T. H., 53
- Hammond, R. B.** See El-Ghazaly, S. M., 302
- Herben, M. H. A. J.**  
On-axis Cross-polarization Discrimination of Reflector Antennas with Random Surface Errors, 194
- Heston, J. G.**  
—; Lewis, J. M.; Wentworth, S. M.; Neikirk, D. P.: Twin Slot Antenna Structures Integrated with Microbolometer Detectors for 94-GHz Imaging, 15
- Ho, T. Q.**  
—; Beker, B.: Far-Field Radiation from Step Junctions in Biaxially Anisotropic Slab Waveguides, 298  
See Beker, B., 403
- Hohenwarter, K. G.**  
—; Track, E. K.; Drake, R. E.; Patt, R.; Radparvar, M.: Design and Properties of Fabricated Superconducting Microstrip Delay Lines Made with Nb, NbN, and YBCO, 510  
See Beyer, J. B., 506
- Hongbo, C.** See Jianming, G., 320
- Horno, M.** See Masot, F., 66  
See Drake, E., 269
- See Mesa, F., 531
- Hu, R.** See Jackson, C. M., 250
- Huang, J.**  
Dual-Polarized Microstrip Array with High Isolation and Low Cross-Polarization, 99
- Huang, K.**  
—; Lin, W.: Calculation of Characteristic Impedance of Broadband TEM Cell (BTEM Cell), 555
- Iannone, E.** See De Marchis, G., 75, 97, 234  
See Betti, S., 145, 326
- Ikezi, H.** See Lin-Liu, Y. R., 468
- Ishii, T. K.**  
—; Griffis, A.: Measurement of Electro-optic Effects in Acrylic Plastic, 387  
See Giakos, G. C., 79, 128  
See Taalbi, M., 151
- Itoh, T.** See El-Ghazaly, S. M., 302
- Jackson, C. M.**  
—; Hu, R.; Burch, J. F.: Determination of Circuit Parameters in a 10-GHz Microstrip RF Squid, 250
- Jecko, B.** See Seaux, J. P., 383
- Jia, S.** See Jiang, C., 376
- Jiang, C.**  
—; Jia, S.; Zhang, Q.: A Six-Port Technique Application of Measuring Complex Permittivity and Permeability, 376
- Jianhua, X.** See Jianming, G., 320
- Jianming, G.**  
—; Shenggang, L.; Jianhua, X.; Hongbo, C.: The Harmonic Gyrotron with a Symmetrical Double-Ridge Structure, 320
- Jianping, Z.**  
The Effect of Spatial Hole Burning on FM Response in DFB Laser Diodes, 372
- Joe, J.**  
—; Chang, S. F.; Scharer, J. E.; Booske, J. H.: Linear Analysis of Sheet Beam Planar Grating and Dielectric Cerenkov Maser Amplifiers, 443
- Jose, K. A.** See Dey, S., 417
- Karim, M. A.** See Alam, M. S., 103

- Kashiwa, T.**  
—; Naya, H.; Fukai, I.: A New Transducer for Thermography to Observe the Electric Field Distributions in a Microwave Oven, 81
- Kauffman, H. G.** See Awwal, A. A. S., 395
- Kennis, P.** See Paleczny, E., 365
- Kidner, C.** See Haddad, G. I., 23
- Kim, J. P.**  
—; Park, W. S.: Microwave Measurement of Complex Permittivity of Dielectric Ring Resonators Using Higher-Order Resonant Modes, 459
- Klemer, D. R.** See Awwal, A. A. S., 395
- Kobayashi, K.**  
Combined Perturbation and Wiener-Hopf Analysis of the Diffraction by a Finite Sinusoidal Grating, 495
- Kollberg, E.** See Gronqvist, H., 33
- Kong, J. A.** See Chan, C. H., 355
- Kooi, P. S.**  
—; Yeo, T. S.; Leong, M. S.: Parametric Studies of the Linearly Tapered Slot Antenna (LTSA), 200  
—; Leong, M. S.; Widjojo, B.; Yeo, T. S.: Role of Complex Modes in Coplanar-Waveguide-to-Coplanar-Waveguide Discontinuity Calculations, 378  
See Yeo, T. S., 414
- Krause, K. C.**  
—; Lou, S. H.; Tsang, L.; Chan, C. H.: Application of the Finite Element Method to Monte Carlo Simulations of Random Rough Surface Scattering with Neumann Boundary Conditions, 255
- Krishnamurthi, K.**  
—; Conn, D. R.: Conversion Gain and Stability of a Resonant Tunneling Diode Harmonic Mixer, 212
- Kubo, H.**  
—; Yasumoto, K.: Numerical Analysis of an Optical Coupler Composed of Three-Channel Waveguides with Different Core Sizes, 181
- Kukkonen, C.** See Ulaby, F., 1
- Kurek, C. G.** See Awwal, A. A. S., 395
- Kwon, Y.**  
—; Pavlidis, D.: Diode Multipliers for Submillimeter-Wave InAlAs/InGaAs Heterostructure Monolithic Integrated Circuits, 38
- Lanteigne, D. J.**, 106
- Lazzaro, P.** See Betti, S., 145, 326
- Lee, K.** See Guo, Y., 6
- Lee, T. H.**  
—; East, J. R.; Haddad, G. I.: Planar Doped Barrier Devices for Subharmonic Mixers, 53
- Legier, J. F.** See Paleczny, E., 365
- Lehtola, A.**  
—; Nikoskinen, K. I.; Lindell, I. V.: Application of the Green's Function Technique in Microstrip Patch Antenna Analysis, 341
- Leong, M. S.** See Kooi, P. S., 200, 378  
See Yeo, T. S., 414
- Lewis, J. M.** See Heston, J. G., 15
- Li, G.**  
—; Seshadri, S. R.: Stability and Soliton via Modified Nonlinear Schrodinger Equation, 475
- Li, J. X.**  
—; Yu, F. T. S.; Gregory, D. A.: Image Classification by the Kittler-Young Transform Using a Joint Transform Correlator, 207
- Lian, H.-X.** See Boothroyd, S. A., 521
- Liang, H.**  
—; Yanyi, W.; Sifan, L.: Frequency-Domain Nonlinear Analysis of Microwave Circuits Using Frequency-Domain Diode Model, 266
- Lin, C. C.**  
Investigation of Radiation and Surface-Wave Losses at Compensated Microstrip  $T$  Junctions and Bends at Near-Millimeter-Wave Frequencies, 408  
—; A Microstrip Coupler Through a Narrow Slot in the Common Ground Plane of a Two-Sided Microstrip Circuit Board, 543
- Lin, S.** See Wu, J., 209
- Lin, W.**  
Further Study on the Rectangular Coaxial Line of Simple Symmetry, 166  
—; The Field Distribution Inside a TEM Cell with a Cross of Unequal Arms as Inner Conductor, 239  
—; Circular Coaxial Line with a Cross of Unequal Arms as Inner Conductor, 279  
—; Theory of a New Type of TEM Cell of Variable Characteristics, 313  
—; Liu, Y.; Zhao, Y.: The Electrostatic Problem of a Portion of a Multilayer Dielectric Sphere in a Uniform Field, 123  
See Zeng, X., 412  
See Qiu, C. M., 534  
See Huang, K., 555
- Lin, Y. K.** See Zhu, N. H., 264, 348
- Lindell, I. V.** See Sihvola, A. H., 295  
See Lehtola, A., 341
- Ling, C. C.** See Gearhart, S. S., 12
- Lin-Liu, Y. R.**  
—; Chan, V. S.; DeGrassie, J. S.; Ikezi, H.: Characteristic Impedance of a Soliton-Bearing Nonlinear Transmission Line, 468
- Litva, J.** See Wang, J., 61
- Litva, J.** See Wu, C., 110
- Liu, L.** See Zhou, C., 547
- Liu, R.** See Wu, J., 209
- Liu, Y.** See Lin, W., 123
- Lo, Y. T.** See Aksun, M. I., 292  
See Yang, R., 335
- Lonngrén, K. E.**  
Antenna Sheaths in a Dusty Plasma, 427
- Lou, S. H.** See Krause, K. C., 255  
See Chan, C. H., 355  
See Tsang, L., 527
- Mahoney, L. J.** See Brown, E. R., 19
- Majewski, M. L.**  
—; Novak, D.: Modulation Bandwidth Limitations in Directly Modulated Semiconductor Laser Diodes at Microwave Frequencies, 580
- Malherbe, J. A. G.** See Booysen, A. J., 277



- Manara, G.** See Gentili, G. B., 401
- Manfra, M. J.** See Brown, E. R., 19
- Maricot, S.**  
—; Vilcot, J. P.; Decoster, D.: Improvement of Microwave Signal Optical Transmission by Passive Matching of Optoelectronic Devices, 591  
See Aboulhoda, S., 217
- Martens, J. S.** See Beyer, J. B., 506
- Masot, F.**  
—; Medina, F.; Horno, M.: Accurate Quasi-TEM Analysis of Modified Coupled Suspended Microstriplines and Its Application to Directional Coupler Design, 66
- Masotti, D.** See Rizzoli, V., 562
- Mastri, F.** See Rizzoli, V., 562
- Matera, F.** See De Marchis, G., 97
- Matteuch, R. J.** See Bishop, W. L., 44
- McGill, T. C.** See Brown, E. R., 19
- McGinnis, D. P.**  
Theory and Design of Microwave Planar Electrodes for Stochastic Cooling of Particle Beams, 439
- McLoughlin, I. V.** See Ghafouri-Shiraz, H., 524
- McNamara, D. A.** See van Rensburg, D. J. R., 573
- Medina, F.** See Masot, F., 66  
—; See Drake, E., 269
- Meng, B.** See Booske, J. H., 446
- Mesa, F.**  
—; Horno, M.: Quasi-Term and Full-Wave Approaches for Coplanar Multistrip Lines Including Gyromagnetic Media Longitudinally Magnetized, 531
- Michalski, K. A.**  
—; Zheng, D.: A Spectral-Domain Method for the Analysis of the Fundamental-Mode Leakage Effect in Microstrip Lines on Uniaxial Substrates, 158
- Miller, R. E.**  
—; Chang, K.: Integrated Active Antenna Using Annular Ring Microstrip Antenna and Gunn Diode, 72
- Misra, R. M.** See Banerjee, P. P., 471
- Monahan, P.** See Dey, S., 417
- Mondal, J.**  
—; Carlson, D.; Pulver, C.; Vickberg, M.; Geddes, J.: High Performance MESFET Power Amplifiers for High Volume Application in Ka Band, 285
- Morasca, S.**  
—; De Bernardi, C.; Rigo, C.; Stano, A.; Croston, I. R.: Thermal Behavior of Wavelength Demultiplexers Monolithically Integrated on InGaAlAs/InP, 139
- Mukherjee, M. K.** See Chakrabarty, D., 244
- Mukhopadhyay, D.** See Chakrabarty, D., 244
- Nair, K. G.** See Dey, S., 417
- Nakwaski, W.**  
—; Osinski, M.: Thermal Analysis of Etched-Well Surface-Emitting Diode Lasers, 541
- Narasimhan, M. S.**  
—; Rao, R. S.: Synthesis of Far-field Patterns of Circular Cylindrical Arrays, 196
- Navarro, E.** See Gimeno, B., 113
- Naya, H.** See Kashiwa, T., 81
- Neikirk, D. P.** See Heston, J. G., 15
- Nevels, R. D.** See Rynne, B. P., 586
- Newman, H. S.** See Tait, G. B., 99
- Nguyen, C.**  
—; Christodoulou, C.: On the Analysis of Microwave MESFET Mixers, 307
- Nguyen, T.**  
—; Beyer, J. B.: Analysis and Design of a Planar Balun, 451
- Nikoskinen, I.** See Lehtola, A., 341
- Nordman, J. E.** See Beyer, J. B., 506
- Nosich, A. I.**  
—; Svezhentsev, A. Y.: Accurate Computation of Mode Characteristics for Open-Layered Circular Cylindrical Microstrip and Slot Lines, 274
- Novak, D.** See Majewski, M. L., 580
- Odendaal, J. W.**  
—; Pistorius, C. W. I.: Horn Antenna with Suppressed Sidelobe Level, 238
- Ongareau, E.**  
—; Bosisio, R. G.: Variation of Gate and Drain Contact Positions Along the Width of MESFETs and Its Influence on Millimeter Wave Oscillator Performance, 86
- Osinski, M.** See Nakwaski, W., 541
- Ostdiek, P. H.** See Bishop, W. L., 44
- Palczy, E.**  
—; Legier, J. F.; Kennis, P.; Pribetich, P.: Full-Wave Analysis of Superconducting Microstrip for MMIC Applications, 365
- Palit, D.** See Deb, D., 222
- Park, W. S.** See Kim, J. P., 459
- Parker, C. D.** See Brown, E. R., 19
- Pathak, P. H.** See Barkeshli, S., 333
- Patt, R.** See Hohenwarter, G. K. G., 510
- Paul, P.**  
—; Roy, J. S.; Poddar, D. R.; Chowdhury, S. K.: Some Investigations on the Effect of the Location of Feed on the Impedance of a Rectangular Microstrip Antenna Operated in the First Higher-Order Mode, 77  
See Roy, J. S., 236
- Pavlidis, D.** See Kwon, Y., 38
- Peatman, W. C. B.** See Crowe, T. W., 49
- Peida, Y.** See Ronghui, F., 361
- Pelosi, G.** See Gentili, G. B., 401
- Pietroselli, M.** See Betti, S., 234
- Pistorius, C. W. I.** See Odendaal, J. W., 238  
See Booysen, A. J., 277  
See Boonzaaier, J. J., 311, 551
- Poddar, D. R.** See Paul, P., 77  
See Roy, J. S., 236
- Potter, K.** See Guo, Y., 6
- Pramanick, P.**  
Comments on "Characteristic Impedance of a Curved Microstrip Transmission Line," 283
- Prasadh, S. S.** See Sarkar, B. K., 389

- Pribetich, J.** See Dubois, L., 141  
See Paleczny, E., 365
- Prince, J. L.** See Voranantakul, S., 566
- Pulver, C.** See Mondal, J., 285
- Qiu, C. M.**  
—; Ren, W.; Lin, W.: The Recurrence Matrix Technique for the Arbitrary and Microwave Planar Transmission Lines, 534
- Quirarte, J. L. R.**  
A Method for Designing Microwave Broadband Amplifiers by Using Chebyshev Filter Theory to Design the Matching Networks, 117
- Rabbaa, A.**  
An Experimental Technique for Increasing the Bandwidth of Printed Slot Antennas, 161
- Radparvar, M.** See Hohenwarter, G. K. G., 510
- Rahnavard, M. H.**  
—; Rusch, W. V. T.: Application of Cubic-Phase Theory to Galindo-Williams Subreflector, 168
- Railton, C. J.**  
Efficient Implementation of the Finite Element Method for the Rigorous Analysis of Complex Boxed Planar Resonators, 281
- Raisanen, A.**  
—; Sironen, M.: Capability of Schottky-Diode Multipliers as Local Oscillators at 1 THz, 29
- Rao, K. V. S.** See Bhartia, P., 559
- Rao, R. S.** See Narasimhan, M. S., 196
- Rashed-Mohassel, J.**  
The Radiation Characteristics of a Resonant Meander Line Section as a Monopole, 537
- Rawicz, A.** See Boothroyd, S. A., 521
- Razeghi, M.** See Aboulhoda, S., 217
- Rebeiz, G. M.** See Gearhart, S. S., 12
- Reddy, C. J.**  
Analysis of Broadside Coupled-Cylindrical Suspended Microstrip Lines Using Conformal Mapping Techniques, 253
- Reineix, A.** See Seaux, J. P., 383
- Ren, W.** See Qiu, C. M., 534
- Riddels, G.**  
—; Fusco, V. F.: A Quasilumped Six-Port Reflectometer for Cellular Radio Use, 191
- Rigo, C.** See Morasca, S., 139
- Rizzoli, V.**  
—; Mastri, F.; Masotti, D.: Modeling the Microstrip Impedance Step from Direct Measurements in the 1-27-GHz Band, 562
- Roduit, J.-C.**  
—; Skrivervik, A.; Zurcher, J.-F.: Microstrip Compact Bandpass Filters, 384
- Rong, Y.** See Dou, W. B., 134
- Ronghui, F.**  
—; Peida, Y.: Numerical Analysis of Brillouin Amplifiers for Use in Self-Homodyne Detection, 361
- Roy, J. S.**  
—; Shaw, S. K.; Paul, P.; Poddar, D. R.; Chowdhury, S. K.: Some Experimental Investigations on Electromagnetically Coupled Microstrip Antennas on Two-Layer Substrates, 236  
See Paul, P., 77
- Ruan, C. L.** See Zeng, X., 412
- Rusch, W. V. T.** See Rahnavard, M. H., 168
- Rutledge, D.** See Guo, Y., 6
- Rydberg, A.** See Gronqvist, H., 33
- Rynne, B. P.**  
—; Smith, P. D.; Nevels, R. D.: Time-Domain Scattering Calculations in the Coulomb Gauge, 586
- Sadhir, V. K.**  
—; Bahl, I. J.: An Accurate Distributed Model for MIM Capacitors, 219
- Salmer, G.** See Bonte, B., 289
- Sangster, A. J.**  
Polarization Agile Microstrip Array Antenna Element, 419
- Sarker, B. K.**  
—; Prasad, S. S.; Gupta, S.: High-Power, Low-Recovery-Time Switched PIN Diode Duplexer at Ku Band, 389
- Sauter, E. G.**  
Gaussian Beams and the Poincare Sphere, 485
- Scharer, J. E.** See Joe, J., 443
- Schill, R. A., Jr.**  
Conservation of Energy for a Weakly Irregular, Open- or Close-Bounded Dispersive Medium, 433
- Scott, A. C.**  
Self-Trapping of Vibrational Energy, 463
- Seaux, J. P.**  
—; Reineix, A.; Jecko, B.: Double-Resonance Antenna, 383
- Seshadri, S. R.**  
Foreword: The First 100 Years, 423  
See Li, G., 475  
See Wang, Z. H., 491
- Shaw, S. K.** See Roy, J. S., 236
- Shenggang, L.** See Jianming, G., 320
- Sifan, L.** See Liang, H., 266
- Sihvola, A. H.**  
—; Lindell, I. V.: Bi-Isotropic Constitutive Relations, 295
- Sironen, M.** See Raisanen, A., 29
- Skalare, A.**  
—; de Graauw, Th.; van de Stadt, H.: A Planar Dipole Array Antenna with an Elliptical Lens, 9
- Skrivervik, A.** See Roduit, J.-C., 384
- Smith, P. D.** See Rynne, B. P., 586
- Soderstrom, J. R.** See Brown, E. R., 19
- Spenuk, M.** See Wang, J., 61
- Stano, A.** See Morasca, S., 139
- Stimson, P.** See Guo, Y., 6
- Stuwe, P.**  
—; Unger, H.-G.: Vectorial Analysis of Triple Rib Guide Heterostructures as Wavelength Duplexers, 479
- Such, V.** See Gimeno, B., 113
- Svezhentsev, A. Y.** See Nosich, A. I., 274
- Taalbi, M.**  
—; Ishii, T. K.: Anomalous Acousto-optic Effect in Glass, 151
- Tait, G. B.**  
—; Newman, H. S.: A Microwave Equivalent Circuit Model for Semiconductor Alloy Ramp Heterostructure Diodes, 91

- Tang, X. Y.**  
—; Ye, P. D.: Evaluation of Dispersions Penalty in an Optical Coherent PSK Transmission System, 227
- Tiberio, R.** See Gentili, G. B., 401
- Track, E. K.** See Hohenwarter, G. K. G., 510
- Tsai, M. C.**  
A Wide-Band Class-B Amplifier Using Tapered Interdigital Power Combiners, 455
- Tsang, L.**  
—; Lou, S. H.; Chan, C. H.: Application of the Extended Boundary Condition Method to Monte Carlo Simulations of Scattering of Waves by Two-Dimensional Random Rough Surfaces, 527  
See Krause, K. C., 255  
See Chan, C. H., 355
- Turumella, S. R. V.** See Awwal, A. A. S., 395
- Ulaby, F.**  
—; Haddad, G.; Kukkonen, C.: Foreword to Special Issue on Terahertz Technology, 1
- Unger, H.-G.** See Stuwe, P., 479
- Vallapareddy, M. R.** See Awwal, A. A. S., 395
- Van Bladel, J.**  
Equivalence of Electric and Magnetic Sources: A Paradox, 423
- van de Stadt, H.** See Skalare, A., 9
- van Rensburg, D. J. R.**  
—; McNamara, D. A.: A Note on the Effect of Linear Independence of Testing Functions Used in the Moment-Method Solution of Thin-Wire Antenna Problems, 573
- Vaslow, D. F.**  
Smooth Saddle rf Coil for Magnetic Resonance Imaging, 501
- Vickberg, M.** See Mondal, J., 285
- Vilcot, J. P.** See Aboulhoda, 217  
See Maricot, S., 591
- Voranantakul, S.**  
—; Prince, J. L.; Yang, Z.: Dispersion Control in Lossy Interconnections, 566
- Wahid, P. F.**  
—; Dunn, G. L.; Dunn, D. S.: Mutual Coupling between Skewed Microstrip Patch Antennas, 258
- Wandzura, S.**  
Optimality of Galerkin Method for Scattering Computations, 199
- Wang, D. G.** See Wang, Z. H., 491
- Wang, J.**  
—; Spenuk, M.; Fralich, R.; Litva, J.: A Simple Approach to a Four-Way Hybrid Ring Power Divider Design, 61  
See Wu, C., 110
- Wang, W.-S.** See Chang, J.-J., 398  
—; See Chao, F.-L., 584
- Wang, Y. M.**  
—; Chew, W. C.: Application of the Fast Recursive Algorithm to a Large Inhomogeneous Scatterer for TM Polarization, 155
- Wang, Z.** See Zhou, C., 547
- Wang, Z. H.**  
—; Wang, D. G.; Seshadri, S. R.: Crystal-Clad Fiber-Optic Polarizer, 491
- Waters, J. W.**  
Submillimeter Heterodyne Remote Sensing of Upper Atmospheric Gases, 2
- Wentworth, S. M.** See Heston, J. G., 15
- Widjojo, B.** See Kooi, P. S., 378
- Willems, D.**  
—; Bahl, I.; Wirsing, K.: A Series-Based Distributed Amplifier for High-Efficiency Applications, 177
- Winkler, E.** See Crowe, T. W., 49
- Wirsing, K.** See Willems, D., 177
- Wu, C.**  
—; Wang, J.; Fralich, R.; Litva, J.: Analysis of a Series-Fed Aperture-Coupled Patch Array Antenna, 110
- Wu, J.**  
—; Liu, R.; Lin, S.: Holographic Photoelectrochemical Etching of Submicron Gratings in *n*-InP for DFB/DBR Lasers, 209
- Xu, R.** See Cheng, D., 391
- Xue, L.** See Cheng, D., 231, 391
- Yang, R.**  
—; Lo, Y. T.; Aksun, M. I.; Chuang, S. L.: Simple and Efficient Analysis for a Slot-Coupled Patch Antenna with a Microstrip Line Feed, 335
- Yang, Z.** See Voranantakul, S., 566
- Yasumoto, K.**  
Coupled-Mode Formulation of Parallel Dielectric Waveguides Using Singular Perturbation Technique, 486  
See Kubo, H., 181
- Ye, P. D.** See Tang, X. Y., 227
- Yeo, T. S.**  
—; Leong, M. S.; Kooi, P. S.: Predicting Openwork Shielding Efficiency Using Waveguide Aperture Discontinuity Model, 414  
See Kooi, P. S., 200, 378
- Yu, F. T. S.** See Li, J. X., 207
- Yunyi, W.** See Liang, H., 266
- Zeng, X.**  
—; Ruan, C. L.; Lin, W.: Scaled-Down RCS Study of a Rectangular Flat Plate Coated with Lossy Material, 412
- Zhang, Q.** See Jiang, C., 376
- Zhao, A. P.**  
—; Cvetkovic, S. R.: Finite Element Analysis of Semiconductor Laser Arrays, 247
- Zhao, Y.** See Lin, W., 123
- Zhendong, S.**  
Perturbation Solution of Surface Impedance to the Scattering Problems, 569
- Zheng, D.** See Michalski, K. A., 158
- Zheng, X. S.** See Zhu, N. H., 348
- Zhou, C.**  
—; Liu, L.; Wang, Z.: Optical Demonstration of the Hartline Lateral Inhibition Model, 547
- Zhu, N. H.**  
—; Lin, Y. K.: Two Models of Optical Waveguide Modulators Independent of Polarization, 264  
—; Zheng, X. S.; Lin, Y. K.: Accuracy of Swept-Frequency Measurement of Optical Modulator Frequency Response, 348
- Zirath, H.** See Angelov, I., 517
- Zurcher, J.-F.** See Roduit, J.-C., 384

# Microwave and Optical Technology Letters

## Subject Index to Volume 4

- Acousto-optic effect, 151
- Acrylic plastics, 387
- Active antenna, 72
- Active high- $T_c$  device, 506
- All-optical switch, 575
- Amplifier, 117
- Anisotropic, 433
- Anisotropic substrate, 231
- Anisotropic waveguides, 298
- Anomalous effect, 151
- Antenna efficiency, 194
- Antenna feed, 110, 292
- Antennas, 9, 401, 417
- Antennas in plasma, 427
- Antiprotons, 439
- Aperture coupling, 110
- Aperture efficiency, 6
- Applied optics, 372
- Approximate boundary condition, 569
- Arbitrary planar transmission lines (APTL), 534
- Array antennas, 408
- Array synthesis, 196
- Asymmetrical coplanar lines, 398
- Asymptotic extraction techniques, 269
- Backscatter, 277
- Bandpass filter, 384
- Bandwidth, 77, 236
- Basis functions, 534, 573
- Beam diameter, 395
- Beam focusing, 304
- Beam routing, 2234
- Biaxially anisotropic slab waveguides, 403
- Bi-isotropic, 295
- Biomedical applications, 141
- Birefringence, 75, 387
- Boundary-integral method, 83
- Bounded, 433
- Brillouin amplifier, 361
- Broadband, 117
- Broadband MMIC, 455
- CAD, 61, 281, 302, 534
- Cadmium telluride, 244
- Cancer treatment, 141
- Cellular radio, 191
- Cerenkov maser amplifier, 443
- Characteristic impedance, 279, 468, 555
- Chebyshev, 117
- Chiral half-space, 391
- Chirality, 295
- Chiral medium, 172
- Chiral self- and mutual impedances, 172
- Circular cylinder, 274
- Circular cylindrical array, 196
- Circuit modeling, 86, 219
- Coherent optical communication, 97
- Complex modes, 378
- Complex permeability measurement, 376
- Complex permittivity measurement, 376
- Composite structures, 277
- Computer-aided design, 266
- Concatenated coding, 359
- Concave edge, 238
- Conformal transformation in three dimensions, 555
- Constitutive relations, 295
- Conversion gain, 212
- Coplanar multistrip lines, 531
- Coplanar waveguide, 292, 378, 398
- Coulomb gauge, 586
- Coupled image principle, 391
- Coupled-mode theory, 131, 486
- Coupled soliton, 184
- Coupling aperture, 446
- Cross inner conductor, 239, 279, 313
- Cross-pol, 99
- Cross-polarization, 317
- Cross polarization discrimination, 194
- Cured substrate, 369
- Cylindrical coordinates, 430
- Davydov soliton, 463
- Delay-line modeling, 510
- Delay lines, 510
- Demultiplexers, 139, 224
- Design graph, 166
- Dielectric lining, 443
- Dielectric membranes, 12
- Dielectric ring resonator, 459
- Dielectric waveguides, 589
- Diffraction, 151
- Diffraction gratings, 224
- Diode multiplier, 38
- Dipolar radiation, 383
- Dipole, 9
- Discontinuity, 378
- Discrete self-trapping equation, 463
- Dispersion, 274
- Dispersive medium, 433
- Distributed amplifier, 177
- Distributed feedback laser, 372
- Double-ridge waveguide, 320
- Dual-control microwave device, 506
- Dual-polarization, 99
- Duplexer, 389
- Earthed plane, 123
- Edge enhancement, 547
- Effective index method, 479
- Efficiency, 29
- Electric-magnetic equivalences, 423
- Electromagnetically coupled, 236
- Electromagnetic scattering, 199, 255
- Electromagnetic theory, 423
- Electromagnetics, 430
- Electro-optic effect, 387
- Elementary time-harmonic current, 391
- Elliptic functions, 555
- Energy conservation theorem, 433
- Equivalent circuit model, 91
- Ergodic cavity, 446
- Extended boundary condition method, 527
- Far-field radiation, 298
- Fast Fourier transform, 196
- Ferrimagnetic semiconductor, 531
- Ferrites, 134
- FETs, 177
- Fiber optics, 491
- Field distribution, 279
- Field-effect transistor, 86
- Field matching method, 83
- Field pattern, 81
- Field strength, 239
- Field theory, 302
- Finite-difference time-domain (FDTD), 311, 355, 551
- Finite element method, 247, 255, 281
- Finite sinusoidal grating, 495
- Fourier transform, 103
- Frequency multiplier, 29
- Gaussian beams, 304, 485
- Geometrical theory of diffraction, 412
- Glass, 151



- Grating, 395
- Green's function, 83, 333, 341, 369, 430
- Ground clutter, 179
- Group velocity, 433
- Growth rates, 433
- Gunn diode, 72
  
- Harmonic balance methods, 307
- Harmonic gyrotron, 320
- Harmonic mixer, 212
- Harmonic multiplication, 49
- Harmonics, 148
- Helmholtz coil, 501
- HEMT diode, 38
- Hertz's vector potentials, 317
- Heterojunction millimeter waves, 289
- Heterostructure diode, 91
- High efficiency, 177
- High-efficiency amplifier, 455
- Higher-order mode, 77
- Higher-order resonant mode, 459
- High-gain, 117
- High-power device, 320
- High-temperature superconductors, 250, 510
- Holographic interference, 210
- Holography, 106
- Homodyne, 361
- Homodyne detection, 326
- Homogeneous magnetic field, 501
- Horn antenna, 238
- Hybrid ring, 61
  
- Identification, 179
- III-V semiconductors, 23
- Imaging arrays, 12, 15
- Impedance bandwidth, 417
- Imperfectly conducting scatterer, 569
- InAlAs/InGaAs heterostructure, 38
- Incomplete conducting sphere, 123
- Incomplete multilayer dielectric sphere, 123
- Infrared detector, 15
- Inhomogeneous scatterer, 155
- Inner cross conductor, 166
- Input impedance, 77, 222, 236, 559
- Insertion loss, 258
- Integrated antics, 584
- Integrated circuit, 72
- Integrated-circuit horn antenna, 6
- Integrated corner-cube antennas, 12
- Integrated optics, 264, 541
  
- Intensity modulation of semiconductor laser diodes, 580
- Intermodulation, 148
- Isolation, 99
- Isolators, 134
- Iterative methods, 269
  
- Joint transform correlator, 207
  
- Kerr constant, 387
- Kerr media, 471
- Kerr nonlinearity, 575
- KNbO<sub>3</sub>, 521
  
- Large bandwidth, 162
- Large-signal analysis, 307, 517
- Laser and laser applications, 541
- Laser beam, 151, 395
- Laser diodes, 148
- Lateral inhibition, 547
- Layered substrate, 274
- Leaky wave, 158
- LiNbO<sub>3</sub> substrate, 584
- Linear independence, 573
- Linear stability, 475
- Logarithmic screen, 395
- Losses due to step discontinuities, 403
- Lossy interconnection, 566
- Lossy waveguide, 184
- Low-noise, 117
- Low-noise microwave circuit, 64
- Low-noise oscillators, 64
  
- Mach-Zehnder interferometer, 584
- Matching network, 591
- Meander lines, 537
- Meander monopoles, 537
- Measurement, 200, 348, 395
- Measurement method, 81
- MESFET mixers, 307
- MESFETS, 217, 285, 517
- Metallic waveguides, 589
- Method, 495
- Method of lines, 479
- Method of moments, 199, 292, 341
- Microbolometer, 15
- Microstrip, 162, 253, 274, 562
- Microstrip antenna, 77, 99, 222, 236, 292, 369, 419, 543
- Microstrip array, 559
- Microstrip coupler, 66
- Microstrip discontinuities, 408
- Microstrip lines, 269, 302
- Microstrip patch antenna, 341, 383
- Microstrip resonators, 281
- Microstrip technology, 384
  
- Microstrip transmission line, 158
- Microwave circuit, 266
- Microwave circuits and systems, 253
- Microwave conductivity, 244
- Microwave hyperthermia, 141
- Microwave impedance, 91
- Microwave integrated circuits, 191, 531
- Microwave measurement, 376
- Microwave mixer, 266
- Microwave monolithic circuits, 365
- Microwave optical link, 591
- Microwave oven, 81
- Microwave phase shifter, 250
- Microwave power applicator, 141
- Microwave propagation, 79
- Microwave signal propagation, 128
- Millimeter-wave frequencies, 408
- Millimeter-wave oscillation, 86
- Millimeter-wave oscillators, 23
- Millimeter-wave sensor, 543
- Millimeter waves, 285
- MIM capacitors, 219
- Miniature optics, 524
- MISFET, 289
- Mixer, 9, 97, 517
- Mixer analysis, 307
- Mixer diodes, 44
- Modeling article, 562
- Modeling of semiconductor lasers, 580
- Mode-matching method, 181, 365
- Modulation, 145, 234, 589
- Modulators, 348
- Moment method, 573
- Monolithic circuits, 139, 177, 217, 219, 285
- Monte Carlo simulations, 255, 355, 527
- MRI (magnetic resonance imaging), 501
- Multilayered media, 333
- Multilayered system, 113
- Multimode, 446
- Multiple pulse position modulation, 359
- Multipliers, 33, 328
- Mutual coupling, 258
- Mutual impedance, 172
  
- Neumann boundary conditions, 255
- NLS equation, 471
- Nonlinear analysis, 266
- Nonlinear dispersive waves, 475
- Nonlinear effects, 148
- Nonlinear Schrodinger equation, 184, 475

- Nonlinear transmission line, 468
- Nonreciprocity, 295
- Normal modes, 131
- Numerical analysis, 181
- Numerical methods, 155, 168, 586
- Numerical solution, 106
  
- Open-ended waveguides, 401
- Openwork shielding, 414
- Optical communications, 139, 145, 227, 234, 264, 326, 359, 361
- Optical computing, 328
- Optical correlation, 103
- Optical coupler, 181
- Optical fiber dispersion, 227
- Optical fibers, 75, 361
- Optical measurement, 524
- Optical modulation, 348
- Optical modulators, 264
- Optical receiver, 97, 326
- Optical reflectometry, 524
- Optical signal processing, 103, 207
- Optical transducers, 350
- Optical waveguides, 264, 486, 575
- Optoelectronic processing, 547
- Optoelectronics, 217, 541, 591
- Oscillator, 19, 33, 64
- Ozone, 2
  
- Packaging, 510
- Passive microwave devices, 510
- Patch antenna, 110, 559
- Pattern recognition, 207
- Perturbation, 495
- Perturbation solution, 569
- Perturbation theory, 131
- Phase objects, 224
- Phase shift, 224
- Phase shift keying, 227
- Phase velocity, 79, 128, 566
- Photoelectrochemistry, 210
- Photopolymer, 106
- Photoreceivers, 217
- PIN diode, 389
- PIN switch, 389
- Planar, 9
- Planar baluns, 451
- Planar doped barrier devices, 53
- Planar grating, 443
- Planar loop, 439
- Planar Schottky, 44
- Plasma sheaths, 427
- Poincare sphere, 485
- Polarimetric rotation sensors, 350
- Polarimetric scattering, 317
- Polarization, 328
- Polarization dispersion, 75
- Polarization method, 179
- Polarization modulated signal, 326
- Polarization rotation, 387
- Polarizer rotator, 113
- Polarizers, 491
- Polypeptide crystal, 463
- Postdetection, 145
- Power amplifiers, 285, 289
- Power density, 6
- Power divider, 61
- Power sources, 33
- Printed antenna, 162
- Printed dipoles, 417
- Profiled beams, 471
- Propagation delay, 566
- Propagation velocity, 79
- Protein, 463
- Pulse dispersion, 566
- Pulse propagation, 589
  
- Quantum-barrier diodes, 33
- Quantum-well diodes, 33
- Quasiparticle, 9
- Quasi-TEM analysis, 269
  
- Radar, 317
- Radar cross section, 199, 277, 412
- Radiation, 401
- Radiation and surface-wave losses, 408
- Radiation modes, 403, 479
- Random surface, 355
- Random surface errors, 194
- Receivers, 234
- Recovery time, 389
- Rectangular coaxial, 166
- Rectangular lines, 313
- Rectangular patch antenna, 258
- Rectangular waveguide, 134
- Recursive algorithm, 155
- Reflection coefficient, 446
- Reflectometer, 191
- Reflector antennas, 168, 194
- Relative convergence, 534
- Remote sensing, 2
- Resonant frequency, 231
- Resonant-tunneling diode, 19, 212
- RF (radio frequency), 501
- RF SQUID, 250
- Ring antenna, 72
- Rough surface scattering, 255
  
- Saddle coil, 501
- Satellite communications, 234
- Scaled-down model, 412
- Scattering, 151, 333, 586
- Scattering and diffraction, 495
- Schottky-diode, 29
- Schottky receivers, 44
- Second harmonic cancellation, 455
- Second-harmonic generation, 521
- Second-harmonic modulation, 521
- Self-focusing/defocusing, 471
- Semiconductor, 210
- Semiconductor devices and materials, 541
- Semiconductor lasers, 372, 541
- Semiconductor laser array, 247
- Shadow-casting, 328
- Sheet beam, 443
- Shift keying, 145
- Signal-noise ratio, 97
- SIS, 9
- Six-port circuit, 191
- Six-port technique, 376
- Skew angle, 258
- Skin effect, 566
- Slab waveguides, 298
- Slot, 162
- Slot antenna, 200
- Slot-coupled microstrip antenna, 335
- Slot coupler through ground plane, 543
- Slot line, 274
- Small-signal analysis, 307
- Software, 534
- Soliton, 468, 475
- Spatial soliton, 184, 575
- Spectral domain, 68, 231
- Spectral domain analysis, 110, 451
- Spectral-domain method, 158, 365
- Step discontinuities, 298, 562
- Stereographic projection, 485
- Stochastic cooling, 439
- Stratified media, 401
- Stratosphere, 2
- Striplines, 131, 253
- Subharmonic mixers, 53
- Submillimeter, 2
- Submillimeter-wave, 19, 29, 33, 44, 49, 53
- Submillimeter-wave monolithic integrated circuit, 38
- Submillimeter-wave oscillators, 23
- Submillimeter-wave receivers, 12
- Subreflector, 168
- Superconducting flux flow transistor, 506
- Superconducting microstrip, 365
- Superconductor lines, 302
- Suppressed sidelobes, 238
- Surface impedance, 569
- Synthesis method, 384
  
- TEM cell, 239
- Theoretical analysis, 200
- Thin-film devices, 506
- Thin linear antenna, 172
- Thin wire junctions, 551

Three-channel waveguides, 181	Two-dimensional random rough surface scattering, 527	Waveguide, 128, 433
Three-coplanar-strip baluns, 451	Two-sided microstrip circuit board, 543	Waveguide discontinuity, 414
Time domain, 79, 128, 586		Wide-band coupler, 455
Toroidal coordinates, 123		Wide-band mixer, 455
Transit time, 79, 128	Uniaxial crystals, 350	Wiener-Hopf technique, 495
Transmission-line model, 113	Uniaxial substrate, 158	Wire antennas, 537, 573
Triple rib guide duplexer, 479		Wire grid, 113
Tunnel transit-time devices, 23	Varactor diodes, 49	
Twin slot, 15	Variational method, 66	Yagi antennas, 311
Two-dimensional mode matching, 479	Vector potential, 430	Y-junction circulators, 134